

Notice of Allowability

Application No.

09/989,315

Examiner

Minh Nguyen

Applicant(s)

ZAMPETTI ET AL.

Art Unit

2816

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed on 1/29/04.
2. ☒ The allowed claim(s) is/are 8,10-14 and 16-26.
3. ☒ The drawings filed on 20 November 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 9/25/03
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


Minh Nguyen
Primary Examiner
Art Unit: 2816

4/13/04

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with an attorney of record, John Bruckner, on 4/13/04

2. The application has been amended as follows:

In claim 8, line 10, -- wherein applying the frequency history includes applying an approximately twenty-five second frequency history -- has been inserted after "clock".

Claim 9 has been canceled.

In claim 10, line 1, "The method of claim 8, further comprising" has been replaced by -- A method, comprising:

- receiving a pair of input clock signals;
- utilizing a stratum clock state machine to control a multiplexer;
- utilizing the multiplexer to switch an input of a main clock between each of the pair of input clock signals;
- inducing a phase build-out activity;
- transmitting an output clock signal;

Art Unit: 2816

utilizing the stratum clock state machine to set the main clock to a main clock holdover state;

applying a frequency history to a frequency synthesizer in the main clock; and --.

In claim 14, line 7, "and" has been deleted,

line 10, "." has been replaced by -- ; and --,

(new) line 11, -- utilizing the stratum clock state machine to select a programmable filter. -- has been added.

3. The following is an examiner's statement of reasons for allowance: Claims 8, 10-14 and 16-26 are allowed.

Claims 8 and 10 are allowed because the prior art of record fails to disclose or suggest the inclusion of the step of applying a frequency history to a synthesizer for an approximately twenty-five second of frequency history as recited in claim 8 or the step of forcing a phase measurement circuit into a zero phase error state by preloading a phase counter with a zero on an edge of an input signal as recited in claim 10.

Claim 14 is allowed for the same reason noted in claim 13 and the rest of the claims are allowed for the reasons noted in the previous Office action.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2816

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Minh Nguyen whose telephone number is 571-272-1748. The examiner can normally be reached on Monday, Tuesday, Thursday, Friday 7:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Callahan can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



4/13/04

Minh Nguyen
Primary Examiner
Art Unit 2816